



Class	639.73		
Number	\mathcal{K} 53		
Volume	3 cof	2	
Source	Bindi	ig	
Received	July "	1.09	
('ost			
Accession	n Va 154	スペ	



NEW HAMPSHIRE COLLEGE

AGRICULTURAL EXPERIMENT STATION

Inspection of Fertilizers IN 1905

IN COOPERATION WITH THE STATE BOARD OF AGRICULTURE

NEW HAMPSHIRE COLLEGE

OF

AGRICULTURE AND THE MECHANIC ARTS

DURHAM

TRADE VALUES OF FERTILIZING INGREDIENTS IN RAW MATERIALS AND CHEMICALS, 1905.

	Cents per pound
Nitrogen in ammonia salts	. 17.5
Nitrogen in nitrates	
Nitrogen in dry and fine ground fish, meat an	d
blood, and in high grade mixed fertilizers	. 18.5
Nitrogen in fine ground bone and tankage .	. 18.
Nitrogen in coarse bone and tankage	. 13.
Phosphoric acid soluble in water	. 4.5
Phosphoric acid soluble in ammonia citrate (re	-
verted)	. 4.
Phosphoric acid in fine ground bone, fish an	.d
tankage	. 4.
Phosphoric acid in coarse bone and tankage	. 3.
Phosphoric acid in cottonseed meal, castor-pon)-
ace and wood ashes	. 4.
Phosphoric acid insoluble in mixed fertilizers	. 2.
Potash as sulphate free from chlorides and i	n
wood ashes	. 5.
Potash as muriate	4.25

The above values are based on the wholesale market price for the materials, when sold in large lots at the principal trade centers in New England. The valuation of a ton of any mixed fertilizer based on the above figures will usually fall ten dollars below the retail price at the local agency. This variation includes such fixed charges as cost of mixing, bags, cartage and freight, salaries and commissions of agents and interest.

Nitrogen in all forms of organic matter and in nitrate of soda, was advanced one cent a pound, while in ammonia salts it remained at the price adopted in 1904.

THE INSPECTION OF FERTILIZERS IN 1905.

The fertilizer inspection was conducted as usual by the cooperation of the State Board of Agriculture and the New Hampshire College Agricultural Experiment Station. The chemist of the latter institution executed the necessary chemical work assisted by Edward H. Goodnow, William O. Robinson and Edwin J. Roberts.

One hundred and five different brands of mixed fertilizers were sampled and analyzed during the inspection.

There were twenty-seven cases of failure to equal the guarantee in one or more ingredients, but in all but nine of them, a lack in one element was made good by an excess of another, without affecting the value of the goods.

The majority of deficits was found in available phosphoric acid in the lower grades of goods.

The numerous brands can be practically all arranged in twenty-five groups or classes, a table of which is shown on an accompanying page. The groups are arranged principally in the order of their nitrogen and potash contents, since there is always an abundance of phosphoric acid present and it varies between narrower limits.

It is important to note that forty per cent. of the brands contained less than two per cent, of nitrogen, and that few of these contained any marked amount of inorganic nitrogen. In practically all the higher grades a good portion of the nitrogen is present in the inorganic form, which means that usually nitrate of soda or sometimes sulphate of ammonia, is present, and a quickly acting fertilizer is insured.

As a rule, there is a larger proportion of soluble phosphoric acid than of the reverted form, which indicates a carefully prepared superphosphate. Although soluble phosphoric acid soon reverts in the soil, it is reasonable to assume that it is more evenly distributed by reverting in the soil water after the application than when reverted in the fertilizer before it is used.

CLASSIFICATION OF FERTILIZERS BY COMPOSITION.

Class.	Per cent. total nitrogen.	Per cent.availa- ble phosphoric acid.	Per cent. solu ble potash.	- Number of brands in clas
Α.		10-11	2	5
B. 1	-82	7-8	1	5
B. 2	. 82	7-9	$\frac{2}{3}$	4
B. 3	. 82	7-8	3	3 4
B. 4	.82	8	4 8	4
B. 5	.82	6	8	1
C.	1.00	8	2	3
D. 1	1.20	6.5-8.5	3	3
D. 2	1.23	7-9	$\frac{3}{2}$	4
E. 1	1.64	8	$\frac{2.5}{3}$	4
$\mathbf{E.}\ 2$	1.64	8-9	3	3
E. 3	1.64	7-8	4	3
E. 2 E. 3 E. 4	1.64	6	6	1
F. 1	2.00	8.5	$\frac{2}{3}$	10
F. 2	2.00	8-9	3	12
G. 1	2.5	9	2	4
G. 2 G. 3	$\frac{2.5}{2.5}$	9	2 4 5	3
G. 3	2.5	7-9	5	4 3
G. 4 G. 5	2.5	8-9	6	3
G. 5	2.5	6	10	4
H.1	3.3	8-10	7	7
H. 2	3.3	6-9	10	4
Ι.	3.7	8	9-10	2
J.	4.1	7	6-8	3
К.	5	5	6.5	2

.h.	d.	Guarantee		
Potash		Found.		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	Total.	Guaran- teed.		0.0000000000000000000000000000000000000
	Tot	Found.		11.50 12.17 9.68 17.38 10.18 10.18 10.17 10.17 10.11 10.11 10.12 10.13 1
Acid.		.aldulosat		2
 Phosphorie Aeid	Available.	Guaran- teed,		900000000000000000000000000000000000000
Phos	Avail	Found.		10.28 10.28 10.28 10.28 17.77 10.28
		Reverted.		20.00 20
		Soluble.		88.67.67.67.67.67.67.67.67.67.67.67.67.67.
	aj.	Guaran- teed.		78848-9999999999999999999999999999999999
gen.	Total	Found.		22.23.33.33.33.33.33.33.33.33.33.33.33.3
Nitrogen.		огвзапіс.		2.10 2.10 2.10 2.10 2.10 2.10 2.10 2.10
		Inorganie.		\$\frac{1}{2}\frac{1}\frac{1}{2}\f
		MANUFACTURER AND BRAND.	AMERICAN AGRICULTURAL CHEMICAL CO.	Bradley's Corn Phosphate Bradley's Complete Manure for Corn and Grain Bradley's Complete Manure for Top Dressing Bradley's Complete Manure for Top Dressing Bradley's Complete Manure with 10 per cent. Potash Bradley's Complete Manure Bradley's Potato Manure Bradley's Potato Manure Graft's Cove Bay Statister Bradley's XL Superphosphate Graft's Cove Bay Brattizer G. G. Clark's Cove Bay Brattizer for All Grops. Cleveland Pertilizer Con All Grops. Cleveland Potato Posphate Crocker's Ammoniated Corn Phosphate Crocker's Ammoniated Corn Phosphate Crocker's Grass and Oats Fertilizer. Crocker's Grass and Oats Fertilizer. Crocker's Grass and Oats Fertilizer. Crocker's Grass and Tobacco Fertilizer. Crocker's Special Potato Manure. Crocker's Special Potato Manure. Cumberland Potato Fertilizer. Cumberland Superphosphate Cumberland Superphosphate Darling's Farm Favorite Darling's General Fertilizer.

COMPOSITION OF COMMERCIAL FERTILIZERS SAMPLED AND ANALYZED IN 1905.—Continued.

		Nitrogen.	gen.				Phos	Phosphorie Aeid	Aeid.			Potash.	ash.
			Total.	al.			Available	able.		Total.			đ.
MANUFACTURER AND BRAND.	. Inorganic	.oinsgrO	Found.	Guaran- teed.	Soluble.	Reverted.	Found.	Guaran- teed.	Insoluble.	Found.	Guaran- teed.	Found.	Guarantee
Jarling's Potato Manure	- 77	1.95	2.72	2.50	4.65	2.20	6.85	0.9	2.44	9.29	0.6	5.83	5.0
The Ground Bone	1.59	1.80	2.5	30 30	5.19	3.66	2.00 5.75	. 0	2 33	25.69	0.22	8 18	7.0
Great Eastern Potato Manure	.63	1.42	2.05	2.06	5.81	2.88	8.69	8	2.19	10.88	0.0	3.18	· co
Freat Eastern Northern Corn Special	.20	1.5	2.01	5.06 89	5.06	8.8 8.8	x x	∞ α	2.25	10.59	000	-: e:	. 4
High Grade Fertilizer with 10 per cent. Potash	47.	1.59	2.33	2.47	4.29	1.56	5.85	90.	2.92	8.77	0.2	10.59	2
Packer's Union Animal Corn Fertilizer	18:	1.78	2.59	5.2	5.61	4.10	5.7	0.0	6:3	11.61	=	2.35	Ċ,
Sacker's Union Gardener's Complete Manure	9 9	82.1	2.54	4.2	8.75 5.75	3.5	07.0	90	1.69 9.99	11.97	9	10.04	2"
Packer's Union Foldto Manure	6).	96	96	90.7	66.9	3.63	8 0.05 0.05 0.05	0 00	1.77	10.39	0.0	4.02	04
Packer's Union Wheat, Oats and Clover Fertilizer					5.93	4.75	10.68) =	5.09	12.77	12.0	2.43	- 2
Pacific Potato Special	.55	1.68	2.23	90.2	4.99	3.25	8.24	8.0	2.94	11.18	0.0	3.25	က
Plain Superphosphate	:				8.80	4.45	13.25	<u>4</u>	1.90	15.15	20.0		:
Suinnipiae Corn Manure	86.	1.78	2.36	5.06	8 8 8 8	4.74	8.64	œ 5	2.44	11.08	0.0	2.02	- 6
Juinniplae Dissolved Bone and Potash	- 57	1 75	9 91	90 6	4 75	4.8	7.94	9	1 95	0.80		3.04	~~
Sead's Farmers' Friend Sperphosphate	46	17.	7.17	90.6	4	88	9 27	0	2.17	7	0.0	3.13	o cor.
Read's Potato Manure	7.9	1.71	2.50	2 46	3 40	5.50	2.30	0.9	2.09	7.99	2.0	11.22	2
Reads Practical Potato Special.	:	.87	.87	85	4.41	$^{2.00}$	6.41	4 0	2.54	8.95	2.0	9.57	œ
Read's Vegetable and Vine Fertilizer	.81	1.57	2.38	5.06	5.68	3.33	9.01	8	5.09	11.10	0.0	6.02	9
Read's Standard Superphosphate	:	96.	96.	.85	6.35	2.00	x .	œ (1.94	10.29	0.0	1.0	4.
Soluble Pacific Guano	96.	1.84	2.43	2 06	4.09		7.68	⇒ c	7.62	10.30	2:	2.01	- 0
Williams & Clark's Americus Am. Bone Superphosphate		.63	2	2	D	77.7	5.	-	5	G.			`

<u>.</u>	997-97884997-080 00000000000000	444-4466- 044-4466- 044-446-	2.0 7.0 3.0 2.0
1.50	2.15 7.02 7.02 3.09 8.30 8.30 9.33 6.38 6.38	2.55 2.55 2.55 2.25 3.04 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.2	2.39 6.51 3.22 3.13 2.00
8.0	000000000000000000000000000000000000000	0.0000000000000000000000000000000000000	0.00 0.00 0.00 0.00 0.00
8.82	9.85 11.63 9.50 12.30 11.13 10.02 10.02 12.45 8.61 8.65	9.58 11.65 11.45 10.62 11.38 14.88 10.33 10.48	8.94 8.94 9.87 11.73 11.92
2.68	2.52 2.93 2.93 2.93 2.15 2.15 2.15 2.15 2.15 2.15 2.15 2.15	1.43 1.76 3.84 3.84 2.25 2.72 2.72 2.09 2.09	2.36 2.43 1.49 2.26 2.27 1.95
7.0	886-84888885048	8 8 10 10 8 7 7 7 8 5 5 5 5 5 5 5 5 6 7 7 7 7 8 7 7 7 7 7 7 7 8 7 7 7 7 7 7	
6.14	8.33 8.47 9.40 9.40 8.75 8.69 10.02 6.58 6.58	8.15 9.89 7.61 9.84 9.13 10.90 7.61 8.42	10.14 6.51 8.38 9.47 9.65 9.91
2.94	3.04 3.12 3.12 3.12 3.13 3.14 1.94 1.94 1.99	2.85 2.21 2.63 3.62 1.25 1.25 5.60 2.24 2.24	2.57 2.57 2.60 2.62 2.62 2.63
3.20	5.29 5.20 5.20	7.30 6.22 7.88 7.88 7.30 6.13 8.18	5.47 5.78 5.60 7.03
.82	1.65 3.00 3.00 3.00 1.65 3.30 3.30 4.94 7.47	1.20 1.20 1.20 1.20 1.80 1.80 1.80 1.80 1.80 1.80 1.80 1.8	3.30 1.65 1.65
86	11.92 33.63 3.63 3.04 3.04 3.04 3.35 3.35 3.35 3.35 3.35 3.35 3.35 3.3	1.96 1.65 1.90 1.27 2.13 1.46 1.58	1.26 3.23 1.94 1.94 1.68
.98	1.68 2.74 1.72 1.72 1.92 1.66 2.42 2.43 3.47 1.41	1.96 1.65 1.90 1.27 2.13 1.46 1.58	2.13 1.94 1.94 1.68
			1.10
Williams & Clark's Prolific Crop Producer	Bowker's Corn Phosphate. Bowker's Farm and Garden Phosphate Bowker's Hill and Orill Phosphate. Bowker's Hill and Drill Phosphate. Bowker's Lawn and Garden Dressing. Bowker's Potash or Staple Phosphate. Bowker's Potato and Vegetable Ferrilizer. Bowker's Sure Crop Bone Phosphate. Stockbridge Potato and Vegetable Manure. Stockbridge Potato and Vegetable Manure. Stockbridge Potato and Vegetable Manure. Stockbridge Forth Manure. Stockbridge Forth Manure. Stockbridge Forth Manure. Bowker's Bowke	Coe's Celebrated Special Potato Fertilizer. Coe's Columbian Corn Fertilizer. Coe's Columbian Potato Fertilizer. Coe's Famous Grass and Grain Fertilizer. Coe's High Grade Anmoniated Bone Superphosphate. Coe's High Grade Dissolved Bone and Potash. Coe's New England Corn Phosphate. Coe's New England Potato Fertilizer. Coe's New England Potato Fertilizer. Coe's XXV Ammoniated Bone Phosphate.	Lister's Animal Bone and Potash Lister's Oneida Special Pertilizer Lister's Potato Manure Lister's Special Corn Fertilizer Lister's Special Potato Fertilizer Lister's Success Fertilizer

COMPOSITION OF COMMERCIAL FERTILIZERS SAMPLED AND ANALYZED IN 1965.—Concluded.

		Nitrogen.	gen.				Phos	Phosphoric Acid	Acid			Potash.	sh.
			Total.	al.			Available.	uble.		Total.	al.		. £
MANUFACTURBR AND BRAND.	Inorganic.	отвапіс.	Found.	Guaran- teed.	soluble.	Reverted.	Found.	Guaran- teed.	Insoluble.	Found.	Guaran- teed.	Found.	Guarantee
LOWELL FERTILIZER CO.													
Swift's Lowell Animal Brand. Swift's Lowell Bone Fertilizer. Swift's Lowell Brand Brand. Dollar Brand Phosphate. Swift's Lowell Empress Brand. Swift's Lowell Porta Manure. Swift's Lowell Porta of Manure. Swift's Lowell Special Grass Mixture. Swift's Lowell Special Grass Mixture.	28	2.28 1.63 1.21 1.21 1.40 1.58 2.12 2.12 2.13	2.46 1.63 1.21 1.21 1.40 1.58 2.40 3.94 3.78	2.46 1.64 .83 1.23 1.64 2.46 4.11	6.70 6.70 6.00 6.00 5.48 6.04 6.04 5.26	3.17 2.03 1.28 2.21 2.21 2.25 2.25 2.25	9.87 8.15 6.35 8.24 7.14 7.69 7.45 8.05	9.0 7.0 7.0 7.0 7.0 7.0	1.61 1.55 1.15 1.09 1.49 1.91 1.25	11.48 9.70 7.25 9.39 8.23 9.18 10.20 8.93 9.30	000 0000	4.34 3.20 1.01 1.70 2.09 4.32 6.17 6.56	0.00 0.00 0.00 0.00 0.00 0.00
NEW ENGLAND FERTILIZER CO.													
New England Corn and Grain Fertilizer New England Potato Fertilizer		1.16	1.16	1.33	5.39	2.29	7.68 6.88	7.0	1.42	9.10	8.0 9.0	2.37	2.0 4.0
OHO FARMERS' FERTILIZER CO.									-				
Ammoniated Bone and Potash		.57	.57	.82	5.17	2.79	7.96 8.44	8.0	1.38	9.34	9.0	3.55	1.0
Parmenter & Polsey Fertilizer Co.													
A. A. Brand	. 70	3.33	4.03	4.10	5.04	2.68	5.96	7.0	1.54	9.26	8.0	8.76	8.0

6.0 7.0 2.5	9000009 ဝင်ဇဝဝဗ်ဗွ	6.5 3.0 7.2
5.42 4.04 7.00 2.76	2.07 10.36 9.46 3.09 5.68 2.51	6.82 3.02 7.97
0.000	9 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	7.1 13.0 9.8
7.25 10.68 11.30 9.83	12.55 10.92 12.97 12.73 11.85 12.38	8.15 14.91 10.65
1.20 1.70 2.51 2.48	5.16 1.60 5.72 3.41 2.09 3.95	2.18 2.60 1.98
88.0 7.0 7.0	7.0 7.0 7.0 9.0 9.0 9.0	3.5 7.0 7.7
6.05 8.98 8.79 7.35	7.39 9.32 7.25 9.29 9.76 8.43	5.97 12.31 8.67
1.87 3.13 3.52 2.57	4.58 2.63 3.00 6.06 5.28 5.40	3.27 8.21 4.18
4.18 5.85 5.27 4.78	2.81 6.69 3.25 3.23 3.03	$\frac{2.70}{4.10}$
1.64 2.47 3.29 1.64	1.0 3.3 3.70 2.00 2.00 2.10	5.20 2.80 3.80
1.71 2.32 2.88 1.76	1.23 3.72 2.21 2.47 2.43	5.04 2.60 3.79
1.71 2.16 2.60 1.76	1.23 2.32 2.85 1.61 1.97 1.52	$\frac{2.80}{1.06}$
.16	.87 .87 .60 .50	2.24 1.54 2.18
P. & P." Potato Fertilizer 1.71 Plymouth Rock Fertilizer 2.16 Special Porato Fertilizer 2.8 2.60 Star Brand Superphosphate. 1.76 RUSSIA CEMBNT CO.	Essex Al Superphosphate	Sanborn's Chemical Fertilizer for Grass and Oats Sanborn's Chemical Fertilizer for Hill and Drill Sanborn's Chemical Fertilizer for Potatoes

Fred W. Morse, Chemist.

THE USE OF COMMERCIAL FERTILIZERS.

BY FRED W. MORSE.

It should always be borne in mind that the success of a crop depends on four other conditions besides that of the fertilizer used to feed it. All farm crops require certain average amounts of heat, light, air and water in order to develop an average growth, and just the right amount of each for the largest possible yield.

Thus weather conditions may favor or hinder a crop to such an extent that the fertilizer has apparently no effect, and these facts have led more than one to the conclusion that fertilizers were useless. On the contrary, since plants must have from some source the elements found in fertilizers, it follows that they should be of value, and a careful study of fertilizer experiments shows that fertilizers, whether commercial or in barnyard manure, cause a smaller variation in yield between good and bad seasons, by increasing the yields in bad seasons while holding their own in exceptionally good seasons.

Fertilizers cannot make good a lack of sunshine or rain, but they can help the sunshine and rain to do their best; therefore when the weather is favorable they increase the profits and when it is unfavorable they lessen the losses.

The condition of the soil in its relation to air and water is of the greatest importance in the profitable use of commercial fertilizers. When a soil is too wet, it allows too little air to reach the roots of plants, simply because the water crowds it out. In average seasons some soils are too wet and others are too dry for the following reasons: A crop of three tons of hay, or one of tifteen tons of silage corn per acre, would result in the removal from the soil of about eight hundred tons of water. To supply this water there would need to be between seven inches and eight inches of rainfall during the growing season of each crop. At Durham, the average rainfall in

April, May and June is $9\frac{1}{2}$ inches, and during May. June, July and August it is $12\frac{8}{10}$ inches. If this rain were uniformly distributed, it would be fully enough for grass and a little too much for corn. As it is not, both crops need the soil in such condition that it will hold enough water at all times for their needs, while allowing the surplus to drain away.

On soils of average texture the requisite moisture conditions can be maintained by tillage, and if needed, by drainage on low levels; but with extreme types, as heavy clay loams, or light sandy loams, there is needed more thorough treatment by increasing the amount of vegetable matter, since there is no more effective way of making over a soil in its relation to water and air than this.

In using commercial fertilizers as a source of the food elements needed by crops, it should be remembered that there is little positive evidence that they can make over the soil in its relation to water, hence they always do their best work and are most profitable on soils which are in good average condition, neither too heavy and wet nor too light and dry. Furthermore, the continuous growth of annual crops, whether hoed or broadcast, adds no vegetable matter to the soil, except in the roots and stubble, and it is common to find that the first crop of corn on sod land, with commercial fertilizers, is superior to that of the second year, undoubtedly because the vegetable matter of the old turf helped maintain a satisfactory moisture condition in the first year and was largely destroyed before the second year.

The most economical use of commercial fertilizers is only reached when they are applied in rotations in which the soil is maintained in good moisture condition by the use of barnyard manure or the vegetable matter from crops grown for the purpose.

Although the food elements in a commercial fertilizer form but one of the several conditions needed for the best development of the crop, it is important that these elements should be suited to the demands of the crop at every stage of its growth, else the product will not be as large as the other conditions would permit. It is the most common practice to use this class of fertilizers with the annual crops, and there are good reasons for such practice as shown by fertilizer experiments.

Annual crops, whether oats, corn, potatoes or vegetables, require that their food elements shall be ready to hand as their growth makes new demands. The commercial fertilizer, then, should be able to furnish available food elements throughout the growing season, and in the proper proportion required by the crop.


A study of the chemistry of plant growth shows very clearly that there must be present a continuous supply of available nitrogen, which requires that some shall be in the inorganic and some in organic form.

The more quickly the crop is to be grown in the spring, the more inorganic nitrogen will be needed, since it is sooner ready for the plants than organic forms. Soluble phosphoric acid produces results more quickly and thoroughly than the other forms, and a well-made fertilizer should have at least half of its available phosphoric acid in the soluble form. All crops remove from the soil much more potash than phosphoric acid, and although the soil may furnish some of it, without the positive evidence of field experiments to that effect, a fertilizer should have at least as much potash as it has soluble phosphoric acid.

Commercial fertilizers may be advantageously used in topdressing grass, and for such a purpose it should have a high percentage of nitrogen, of which nearly all should be inorganic. The phosphoric acid should be nearly all soluble in order to be of marked benefit, and the fertilizer should be applied in early spring while the soil is thoroughly moist.

Finally, in the purchase of fertilizers it should be borne in mind that it costs just as much to mix, bag, freight and handle a ton of low grade fertilizer as one of high grade. By purchasing a half ton of the highest grade goods one buys more and better nitrogen, as much potash and enough phosphoric acid to balance them, for less money than he would pay for a ton of low grade goods, because he saves half the cost of the above different items.





639.73.153 3 cops 2 N. H. Exp. Sta. Buls. 97-129 1903-1907.

639.73 N53 V3 cop 2

